● Radio New Zealand - NZ Nev × ● Radio New Zealand - NZ Nev ×

G Google Image Result for http X 🦉 No, That's Not a Banksy - Th X 🔰 Twitter Publish

🗙 🗧 🗲 Leftwards Black Arrow Em 🗙 🛛 New Tab

× +

Playlist

Listen Live

i file:///Users/ethanplaut/Desktop/301-DigCommPrac/Assignments/Assg6-Vandalism/Radio%20New%20Zealand%20-%20NZ%20News,%20Current%20Affairs,%20Audio%20On%20Demand.h... C



News

Radio Podcasts & Series Topics Pacific



Comms 301 Assignment #6: 🔥 🔥 🔥 VANDALIZE A WEBPAGE 🔶 🔶 🤙

This is an assignment for Ethan Plaut's COMMS301 course at University of Auckland

🔄 🔄 This art looks like Banksy but it seems to be by some copycat named Strömberg, see: https://artsbeat.blogs.nytimes.com/2013/08/21/no-thats-not-abanksy

Politics about 1 hour ago

MORE TOP STORIES

YOUR COMPUTER IS ON FIRE

Search

New Zealand 15 minutes ago

YOUR COMPUTER IS ON FIRE

Business 1 minute ago

PM: Labour would vote against 'Kiwi values' bill

Politics





This image was really already here, Ethan didn't make this up'

Dozens of South Taranaki pensioners ditched the slippers and bingo in favour of laser strike weapons and virtual reality goggles at an Ageing Disgracefully event in Normanby yesterday.

New Zealand / Technology 25 minutes ago



Auckland bus gridlock: 37 buses to be pulled from service

Auckland Transport will pull dozens of buses from a new North Shore network after passengers got stuck in a two kilometre jam yesterday.

New Zealand / Transport 28 minutes ago

You are going to 'Vandalize' a webpage

Okay, maybe 'vandalize' isn't *exactly* the right word. It's possible 'remix' would be a more **productive** way to name the assignment. But I wanted to emphasize the **destructive** aspect too!

The goal here is to *thoughtfully* break a webpage using a number of different tools and skills we've previously used this course (and a couple new ones too!)

Submitting your 'vandalized' webpage

Your submission will include:

- Some representation of your 'vandalized' page
 Some representation of the *original* page
 (just for comparison!)
 A thoughtful and elegment reflection on your wo
- 3. A thoughtful and eloquent reflection on your work

Submitting your 'vandalized' webpage

Submitting the code and other constituent parts is impractical. If still images are a good representation of your work, then a PDF incl. images will be an ideal submission. If however there's animation, interactivity, etc., you'll want to submit a different way. We recommend using a 'screen capture' video (this is easy on both PC and Mac). Screen capture videos typically include audio, so we are giving you the option of using the video's narration as your reflection (i.e., if your video narration is thoughtful, you don't have to submit text).

Picking a page


First you need to select the page you'll change. A big part of the conceptual work of this assignment is choosing the website you want to deface / critique / parody / vandalize / remix / etc. Think carefully about this — why are you choosing to mess with this particular page, in these particular ways?

On the technical side, you'll need to make sure the site you've chosen is constructed in such a way that you'll be able to get its code and mess with it. The best way to tell is to download a few totally different pages and play with them to see what works.

In order to download the pages' source code and constituent parts, you'll want to open the page in Chrome and use:

• file —> save page as —> web page, complete

Chrome	File	Edit	View	History	Boo	kmar
	Ne	w Tab			ЖТ	
	Ne	w Wind	wok		ЖN	
Radio New Ze	New Incognito Window			indow [·]	<mark>ዮ</mark> <mark>೫</mark> Ν	land
	Re-	open (Closed 7	Tab	<mark>ት </mark>	
\rightarrow G	Ор	en File			ЖО	
	Ор	en Loc	ation		ЖL	
	Clo	se Wir	ndow		<mark>ጉ</mark> <mark>ж</mark> W	adio
	Clo	se Tab	•		ЖW	
	Sav	/e Page	e As		ЖS	
	Sh	aro				



Wherever you tell Chrome to save the page, you'll see two things, a folder and an HTML file with similar names:





Radio New Zealand - NZ Radio New Zealand - NZ News, Curren...Demand_files News, Curren...Demand.html

The folder will probably contain a TON of little images and other files. You *might or might not* want to mess around with those files (we'll get back to that in a minute!)





Radio New Zealand - NZ News, Curren...Demand.html

The HTML file is where a lot of your work will happen for this assignment. You do NOT need to master HTML to do this, but you'll need to dig through it and change some things around.



Opening the file(s)

Now you can go ahead and open this HTML file in Chrome. There are various ways to do this, e.g., open Chrome and follow this:

• file —> open file... —> [locate file on the computer]





Radio New Zealand - NZ Radio New Zealand - NZ News, Curren...Demand_files News, Curren...Demand.html

Opening the file(s)

Depending on the website, this might not work at all the New York Times, for example, glitches out to a white screen — or you might get a very good approximation with some little details broken, as you can see on the next couple pages...





Radio New Zealand - NZ Radio New Zealand - NZ News, Curren...Demand_files News, Curren...Demand.html

Bus Train Ferry Image: Im

Contact us

Auckland Transport ne

Changes to free u Constellation Stat

Today Auckland Transpor changes to North S operations to help capacity at Constel

30 red light runne day as six more re go live in Aucklan

Yesterday Six more red light s are now operating

Putting people fir priority for Auckla

original online

from desktop copy

Contact us MyA

Auckland Transport nev

Changes to free L Constellation Stat

Today Auckland Transporchanges to North operations to help capacity at Const

30 red light runne six more red light Auckland

Yesterday Six more red light now operating in a

Putting people firs priority for Auckla

28 September 20

Bus Train Ferry

Cycling & Walking

Driving & Parking

Projects & Roadworks



Bus Train FerryImage: Image: Ima

Contact us

👤 MyAT

Auckland Transport ne

Changes to free u Constellation Stat

Today Auckland Transpor changes to North S operations to help capacity at Constel

30 red light runne day as six more re go live in Aucklan

Yesterday Six more red light s are now operating

Putting people fir priority for Auckla

original online

Putting people first priority for Auckla 28 September 20

from desktop copy

Note that a number of small details are different when we open our HTML file from the desktop: the AT logo and some icons are missing, fonts **are** changed, etc.

Auckland Transport nev Bus Train Ferry Changes to free u **Constellation Stat** Today Cycling & Walking Auckland Transpo changes to North operations to help capacity at Const Driving & Parking 30 red light runne six more red light Auckland Yesterday Six more red light **Projects & Roadworks** now operating in

Now that you have a version of the source saved on your machine we can get to the FUN part: change it all around!





Radio New Zealand - NZ Radio New Zealand - NZ News, Curren...Demand_files News, Curren...Demand.html

Open the HTML file with the *text editor* program you used to do your JavaScript programming earlier in the semester (in most cases this was TextMate or Atom)



It'll look like a disaster but don't worry, we have an easy way to navigate through this!!

<!-- saved from url=(0019)<u>https://at.govt.nz/</u> -->

av <html lang="en-nz" style="" class=" is flexbox flexboxlegacy canvas canvastext webgl no-touch geolocation postmessage websgldatabase indexeddb hashchange history draganddrop websockets rgba hsla multiplebgs backgroundsize borderimage borderradius boxshadow textshadow opacity cssanimations csscrolumns csscreflections csstransforms3d csstransitions fontface generated content video audio local storage sessionstorage

webworkers applicationcache svg inlinesvg smil svgclippaths"><head><meta http-equiv="Content="text/html; charset=UTF-8"><script type="text/javascript" async=""./Auckland

Transport_files/siteanalyze_6097616.js"></script><script type="text/javascript" async="" src="./Auckland Transport_files/analytics.js"></script>

<meta http-equiv="X-UA-Compatible" content="IE=Edge"><script async="" src="./Auckland Transport_files/gtm.js"></script><script type="text/javascript">window.NREUM||(NREUM={});NREUM.info =

{"beacon":"bam.nr-data.net","errorBeacon":"bam.nr-data.net","licenseKey":"849c0affed","applicationID":"3057611","transactionName":"ZQBaMkpXVxFQUhVbDVxKaAdfU20LXFR0","gueueTime":0,"applicationTime":50,"ttGuid":"D7B16E07C44D9 D10", "agent":""}</script><script type="text/javascript">(window.NREUM||(NREUM={})).loader config={xpid:"UQIHWV9bGwAAUVZUBgA="};window.NREUM||(NREUM={}), nr require=function(t,n,e){function r(e){if(!n[e]){var}

- o=n[e]={exports:{}};t[e][0].call(o.exports,function(n){var o=t[e][1][n];return r(o||n)},o,o.exports)}return n[e].exports}if("function"==typeof __nr_require)return __nr_require;for(var o=0;o<e.length;o++)r(e[o]);return r}({1:[function(t,n,e){function r(t){try{s.console&console.log(t)}catch(n){}var o,i=t("ee"),a=t(15),s={};try{o=localStorage.getItem("__nr_flags").split(","),console&console.log(t)}
- console.log&&(s.console=!0,o.index0f("dev")!==-1&&(s.nrDev=!0))}catch(c){}s.nrDev&&i.on("internal-error",function(t){r(t.stack)}),s.dev&&i.on("fn-err",function(t,n,e){r(e.stack)}),s.dev& &(r("NR AGENT IN DEVELOPMENT MODE"),r("flags: "+a(s,function(t,n){return t}).join(", ")))},{}],2:[function(t,n,e){function r(t,n,e,r,s){try{p?p-=1:o(s||new
- UncaughtException(t,n,e),!0)}catch(f){try{i("ierr",[f,c.now(),!0])}catch(d){}return"function"==typeof u&&u.apply(this,a(arguments))}function UncaughtException(t,n,e){this.message=t||"Uncaught error with no additional information", this.sourceURL=n, this.line=e}function o(t,n){var e=n?null:c.now();i("err",[t,e])}var
- i=t("handle"),a=t(16),s=t("ee"),c=t("loader"),f=t("gos"),u=window.onerror,d=!1,l="nr@seenError",p=0;c.features.err=!0,t(1),window.onerror=r;try{throw new Error}catch(h){"stack"in h&&(t(8),t(7),"addEventListener"in
- window&&t(5),c.xhrWrappable&&t(9),d=!0)}s.on("fn-etart",function(t,n,e){d&&(p+=1)}),s.on("fn-err",function(){return!0}),this.thrown=!0,o(e))}),s.on("fn-end",function(){d&&!this.thrown&&p>0&& (p-=1)}), s.on("internal-error", function(t){i("ierr", [t,c.now(),!0])}), {}], 3: [function(t,n,e){t("loader").features.ins=!0}, {}], 4: [function(t,n,e){function
- r(t){}if(window.performance&&window.performance.timing&&window.performance.getEntriesByType){var
- o=t("ee"),i=t("handle"),a=t(8),s=t(7),c="learResourceTimings",f="addEventListener",u="resourcetimingbufferfull",d="bstResource",p="-start",h="-end",m="fn"+p,w="fn"+h,v="bstTimer",y="pushState",g=t("loader");g.f eatures.stn=!0,t(6);var b=NREUM.o.EV;o.on(m,function(t,n){var e=t[0];e instanceof b&&(this.bstStart=g.now())}),o.on(w,function(t,n){var e=t[0];e instanceof
- b&&i("bst", [e,n,this.bstStart,g.now()])}),a.on(m,function(t,n,e){this.bstStart=g.now(),this.bstType=e}),a.on(w,function(t,n){i(v, [n,this.bstStart,g.now(),this.bstStart])}),s.on(m,function(){this.bstStart=g.now()}),s.on(w,function(t,n){i(v, [n,this.bstStart,g.now(),this.bstStart])}) his.startPath,this.time])}),f in
- window.performance&&(window.performance["c"+c]?window.performance[f](u,function(t){i(d, [window.performance.getEntriesByType(l)]), window.performance["c"+c]()}, !1):window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]), window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]), window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]), window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]), window.performance.getEntriesByType(l)]), window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]), window.performance.getEntriesByType(l)]), window.performance.getEntr ormance.getEntriesByType(l)]),window.performance["webkitC"+c]()},!1)),document[f]("scroll",r,{passive:!0}),document[f]("keypress",r,!1),document[f]("click",r,!1)}},{}],5:[function(t,n,e){function r(t){for(var
- n=t;n&&!n.hasOwnProperty(u);)n=Object.getPrototypeOf(n);n&&o(n)}function o(t){s.inPlace(t,[u,d],"-",i)}function i(t,n){return t[1]}var
 - a=t("ee").get("events"),s=t(18)(a,!0),c=t("gos"),f=XMLHttpRequest,u="addEventListener",d="removeEventListener";n.exports=a,"getPrototype0f"in
- $hist 2 \left[decument \right] r[uinder] r[f] prototype] if prototype bac(upProperty[u) [[autotype]]) = on(u) (torotype]) = on(u) (torotype] [[autotype]] = type]$

Look back in the browser for some text you want to change. Please note that right now were are not considering text that's part of an image file, we are looking for searchable / highlightable "text-text"



Let's try to find and change 'Bus Train Ferry'



Back over here in the text editor, just use the 'find' function (usually Ctrl+F, or \Re +F on a Mac) to locate the relevant text:

<!DOCTYPE ht </pre>

2 <!-- saved from url=(0019)<u>https://at.govt.nz/</u> -->

style="" class=" js flexbox flexboxlegacy canvas canvastext webgl no-touch geolocation postmessage websqldatabase indexeddb hashchange history draganddrop websockets rgba hsla multiplebgs backgroundsize borderimage borderradius boxshadow textshadow opacity cssanimations csscradients cssreflections csstransforms3d csstransitions fontface generatedcontent video audio localstorage sessionstorage

webworkers applicationcache svg inlinesvg smil svgclippaths"><head><meta http-equiv="Content-Type" content="text/html; charset=UTF-8"><script type="text/javascript" async="" src="./Auckland

Transport_files/siteanalyze_6097616.js"></script><script type="text/javascript" async="" src="./Auckland Transport_files/analytics.js"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></scrip

// <meta http-equiv="X-UA-Compatible" content="IE=Edge"><script async="" src="./Auckland Transport_files/gtm.js"></script><script type="text/javascript">window.NREUM||(NREUM={});NREUM.info =

{"beacon":"bam.nr-data.net","errorBeacon":"bam.nr-data.net","licenseKey":"849c0affed","applicationID":"3057611","transactionName":"ZQBaMkpXVxFQUhVbDVxKaAdfU20LXFR0","queueTime":0,"applicationTime":50,"ttGuid":"D7B16E07C44D9 D10","agent":""}</script><script type="text/javascript">(window.NREUM||(NREUM={})).loader_config={xpid:"UQIHWV9bGwAAUVZUBgA="};window.NREUM||(NREUM={}),__nr_require=function(t,n,e){function r(e){if(!n[e]){var

- o=n[e]={exports:{}};t[e][0].call(o.exports,function(n){var o=t[e][1][n];return r(o||n)},o.exports)}return n[e].exports}if("function"==typeof __nr_require;for(var o=0;o<e.length;o++)r(e[o]);return
 r}({1:[function(t,n,e){function r(t){try{s.console&&console.log(t)}catch(n){}var o,i=t("ee"),a=t(15),s={};try{o=localStorage.getItem("__nr_flags").split(","),console&&"function"==typeof</pre>
- console_log&(sconsole=!0,o.indexof("ref")==-1&(s.dev=!0),o.indexof("n="]);==-1&(s.lev=!0));c.dev&i.on("internal__ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}),s.dev&i.on("internal_ref",function(t,n,e){r(e.stack)}
- &(r("NR AGENT IN DEVELOPMENT MODE"),r("flags: "+a(s,function(t,n){return t}).join(", ")))},{}],2:[function(t,n,e){function r(t,n,e,r,s){try{p?p=1:o(s||new
 }})
- UncaughtException(t,n,e),!0)}catch(f){try{i("ierr",[f,c.now(),!0]}}catch(d){}return"function"==typeof u&&u.apply(this,a(arguments))}function UncaughtException(t,n,e){this.message=t||"Uncaught error with no additional information",this.sourceURL=n,this.line=e}function o(t,n){var e=n?null:c.now();i("err",[t,e])}var
- i=t("handle"),a=t(16),s=t("ee"),c=t("loader"),f=t("gos"),u=window.onerror,d=!1,l="nr@seenError",p=0;c.features.err=!0,t(1),window.onerror=r;try{throw new Error}catch(h){"stack"in h&&(t(8),t(7),"addEventListener"in
- window&&t(5),c.xhrWrappable&&t(9),d=!0)}s.on("fn-start",function(t,n,e){d&&(p+=1)}),s.on("fn-err",function(t,n,e){d&&!e[1]&&(f(e,l,function(){return!0}),this.thrown=!0,o(e))}),s.on("fn-end",function(){d&&!this.thrown&&p>0&& (p==1)}),s.on("internal-error",function(t){i("ierr",[t,c.now(),!0])}),{}],3:[function(t,n,e){t("loader").features.ins=!0},{}],4:[function(t,n,e){function(t,n,e)}])
- r(t){}if(window.performance&&window.performance.timing&&window.performance.getEntriesByType){var
- o=t("ee"),i=t("handle"),a=t(8),s=t(7),c="learResourceTimings",f="addEventListener",u="resourcetimingbufferfull",d="bstResource",l="resource",p="-start",h="-end",m="fn"+p,w="fn"+p,w="fn"+h,v="bstTimer",y="pushState",g=t("loader");g.f eatures.stn=!0,t(6);var b=NREUM.o.EV;o.on(m,function(t,n){var e=t[0];e instanceof b&&(this.bstStart=g.now())}),o.on(w,function(t,n){var e=t[0];e instanceof
- b&&i("bst", [e,n,this.bstStart,g.now()])}),a.on(m,function(t,n,e){this.bstStart=g.now(),this.bstType=e}),a.on(w,function(t,n){i(v, [n,this.bstStart,g.now(),this.bstStart=g.now(),this.bstStart=g.now(),this.bstStart=g.now(),this.bstStart=g.now(),this.bstStart=g.now(),this.bstStart=g.now(),this.startPath=location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.pathname+location.hash}),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.hash},t),o.on(y+h,function(t){i("bstHist",[location.has
- window.performance&@(window.performance["c"+c]?window.performance[f](u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance["c"+c]()},!1);window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[]; [u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[f]("webkit"+u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[],window.performance[], [u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[],window.performance[], [u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance[], [u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance.getEntriesByType(l)], [u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance.getEntriesByType(l)], [u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance.getEntriesByType(l)], [u,function(t){i(d, [window.performance.getEntriesByType(l)]),window.performance.getEntriesByType(l)], [u,functio
- n=t;n&&!n.hasOwnProperty(u);)n=Object.getPrototypeOf(n);n&o(n)}function o(t){s.inPlace(t,[u,d],"-",i)}function i(t,n){return t[1]}var
- a=t("ee").get("events"),s=t(18)(a,!0),c=t("gos"),f=XMLHttpRequest,u="addEventListener",d="removeEventListener";n.exports=a,"getPrototypeOf"in
- Object2(r(document) r(u)dou) r(f prototype)): f prototype has Own Property(u) SS(o(window) o(f prototype)) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype)): f prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype) a on(u+"-start" function(t n) Syar e-t[1] r-c(e "prototype) a on(u+"-start" f

Hmm... 'Bus" appears a whole bunch but...

		ed","applicationID":"3057611","transactionName":"ZQBaMkpXVxFQUhVbDVxKaA	
){var o=t[e][1][n];		<pre>.loader config={xpid:"U0IHWV9bGwAAUVZUBgA="}:window.NREUM (NREUM={}).</pre>	
<pre>onsole.log(t)}catch</pre>		Filiu	<pre>e)returnnr_require;for(var o=0;o<e.length;o++)r(e[o]);retu ',"),console&&"function"="=typeof</pre"></e.length;o++)r(e[o]);retu></pre>
dev=!0),o.indexOf("			<pre>r(t.stack)}),s.dev&&i.on("fn-err",function(t,n,e){r(e.stack)}</pre>
unction(t,n){return	Find:	bus Σ	
<pre>,c.now(),!0])}catch</pre>			<pre>v tion(t,n,e){this.message=t "Uncaught error with no addition</pre>
t,n){var e=n?null:c	Replace:		seton (c,n,e) (chis message - c on caught error with no addition
s"),u=window.onerro	Ontioner	Degular Everacian Dignara Whiteenace	<pre>Error}catch(h){"stack"in h&&(t(8),t(7),"addEventListener"in</pre>
t",function(t,n,e){	Options:	Regular Expression Ignore Whitespace	<pre>nis.thrown=!0,o(e))}),s.on("fn-end",function(){d&&!this.throw</pre>
<pre>t,c.now(),!0])})},{</pre>		🗸 Ignore Case 📃 Wrap Around	
g&&window.performar			
	In:	Document 🗘 matching *	'-end",m="fn"+p,w="fn"+h,v="bstTimer",y="pushState",g=t("load
t,n){var e=t[0];e i			
<pre>tion(t,n,e){this.bs</pre>	🔻 🕘 🔮 Αι	uckland Transport.html	<pre>ihis.bstType])}),s.on(m,function(){this.bstStart=g.now()}),s.</pre>
tionFrame"])}),o.or	401:	<div class="linkTitle"><mark>Bus</mark> Train Ferry</div>	<pre>,o.on(y+h,function(t){i("bstHist",[location.pathname+locatio")</pre>
	459:9	g some changes to North Shore <mark>bus</mark> operations to help free up bus capacity at Constellation Stati	ior
.performance[f](u,f	459:	g some changes to North Shore bus operations to help free up bus capacity at Constellation Stati	
kitC" +c]()},!1)),dc	471:	Auckland Transport is making some changes to North Shore bus operation	
n);n&&o(n)}functior	471:	Auckland Transport is making some changes to North Shore bus operation	ns 1
LHttpRequest,u="add			
type.hasOwnProperty	Found 5 re	sults for "bus ".	<pre>@wrapped",function(){function t(){if("function"==typeof</pre>
<pre>}var n={object:t,"f</pre>			
d=t[1]=r}),a.on(d+"	Find All	Replace All Replace Replace & Find Previous Next	
lace(window.history			$a_{n}(t) \left(t \left[0 \right]_{n} \left(t \left[0 \right]_{n} \right] \right) \left(1 \right]_{n} \left(1 \right]_{n} \left(t \left[0 \right]_{n} \left(t \left[0 \right]_{n} \right) \left(t \left[0 \right]_{n} \left(t \left[0 \right]_{n} \right) \left(t \left[0 \right]_{n} \left(t \left[0 \right]_{n} \right) \left(t \left[0 \right]_{n} \left(t \left[0 \right]_{n} \left(t \left[0 \right]_{n} \right) \left(t \left[0 \right]_{n} $
		low,["r"+1,"MozK"+1,"WebK1tK"+1,"MSK"+1],"rat="),r.on("rat=start",tunct	$10n(t){t[0]=0(t[0],"In-")}){,}{}{},{}{},8:[Iunction(t,n,e){function}$
unis.method=e,this.	Limerburati	ion=isNaN(t[1])?0:+t[1],t[0]=a(t[0],"fn-",this,e)}var	

etInterval".f="clearTimeout".u="-start".d="-":n.exports=i.a.inPlace(window.[s."setImmediate"].s+d).a.inPlace(window.[c].c+d).a.inPlace(window.[f."clearImmediate"]

There's only one 'bus train'... Just go straight to line 401...

.net","errorBeacon":"bam.nr-data.net","licenseKey":"849c0affed","applicationID":"3057611","transactionName":"ZQBaMkpXVxFQUhVbDVxKaAdfU20LXFRO","queueTime":0,"applicationTime":50

e][0].call(o.exports,function(n){var o=t[e][1][n]; {function r(t){try{s.console&&console.log(t)}catch e=!0,o.indexOf("dev")!==-1&&(s.dev=!0),o.indexOf(" DPMENT MODE"),r("flags: "+a(s,function(t,n){return e),!0)}catch(f){try{i("ierr",[f,c.now(),!0])}catch ceURL=n,this.line=e}function o(t,n){var e=n?null:c s=t("ee"),c=t("loader"),f=t("gos"),u=window.onerro pable&&t(9),d=!0)}s.on("fn-start",function(t,n,e){ l-error",function(t){i("ierr",[t,c.now(),!0])})},{ mance&&window.performance.timing&&window.performan),a=t(8),s=t(7),c="learResourceTimings",f="addEver r b=NREUM.o.EV;o.on(m,function(t,n){var e=t[0];e istStart,g.now()]}),a.on(m,function(t,n,e){this.bs .bstStart,g.now(),"requestAnimationFrame"])},o.or e])}),f in

indow.performance["c"+c]?window.performance[f](u,f pe(l)]),window.performance["webkitC"+c]()},!1)),do ty(u);)n=Object.getPrototypeOf(n);n&&o(n)}function),s=t(18)(a,!0),c=t("gos"),f=XMLHttpRequest,u="add window),r(f.prototype)):f.prototype.hasOwnProperty .handleEvent.apply(e,arguments)}var n={object:t,"f e||"anonymous"):e});this.wrapped=t[1]=r}),a.on(d+" "),o=t(18)(r);n.exports=r,o.inPlace(window.history =t(18)(r),i="equestAnimationFrame":n.exports=r.o.i


	Find	<pre>>)returnnr_require;for(var o=0;o<e.length; ',"),console&&"function"==typeof</e.length; </pre>
Find:	bus train	<pre></pre>
Replace:		<pre>> tion(t,n,e){this.message=t "Uncaught error</pre>
Options:	 Regular Expression Ignore Whitespace Ignore Case Wrap Around 	<pre>Error}catch(h){"stack"in h&&(t(8),t(7),"addEv nis.thrown=!0,o(e))}),s.on("fn-end",function(</pre>
ln:	Document ᅌ matching *	☆
′ 🗖 🔮 Au 401:	ickland Transport.html <div class="linkTitle"><mark>Bus Train</mark> Ferry</div>	<pre>:his.bstType])}),s.on(m,function(){this.bstSt ,o.on(y+h,function(t){i("bstHist",[location.</pre>
		<pre>()},!1):window.performance[f]("webkit"+u,func ',r,!1)}},{}],5:[function(t,n,e){function r(t</pre>
Found one Find All	result for "bus train". Replace All Replace Replace & Find Previous	<pre>wrapped",function(){function t(){if("function Next</pre>

=t(18)(r),i="equestAnimationFrame";n.exports=r,o.inFlace(window,["r"+1,"mozk"+1,"method=r),r.on("rat="),r.on("rat="),runction(t){t[0]=o(t[0],"fn=")})},{}],8:[function(t) fn=",null,e)}function o(t,n,e){this.method=e,this.timerDuration=isNaN(t[1])?0:+t[1],t[0]=a(t[0],"fn=",this,e)}var

,a=t(18)(i),s="setTimeout",c="setInterval",f="clearTimeout",u="-start",d="-";n.exports=i,a.inPlace(window,[s,"setImmediate"],s+d),a.inPlace(window,[c],c+d),a.inPlace(window,[f,' ,{}],9:[function(t,n,e){function r(t,n){d.inPlace(n,["onreadystatechange"],"fn-",s)}function o(){var

t = roady(t) = roady

There it is!!!



Now CHANGE that text, SAVE the file, and RELOAD the browser...

392	<nav></nav>
393	<ul style="left: 0px;">
11 394	class="publictransport">
395	<a href="<u>https://at.govt.nz/bus-train-ferry/</u>">
396	<div class="top_nav_icons"></div>
397	
398	
399	
400	
401	<div class="linkTitle">I CHANGED THIS TEXT 😂 /div></div>
402	
403	
404	<li class="cyclingwalking">
405	<a href="<u>https://at.govt.nz/cycling-walking/</u>">
406	<div class="top_nav_icons"></div>
407	
408	
409	
410	
411	<div class="linkTitle">Cycling & Walking</div>
412	

...And BOOOOM you're WELL on your way to a major act of creative vandalism now!!!!

 $\leftarrow
ightarrow \mathbb{C}$ 👘 🛈 file:///Users/ethanplaut/Desktop/301-DigCommPrac/Assignments/Assg6-Vandalism/Auckland%20_ransport.html

I CHANGED THIS TEXT 😂

Cycling & Walking

Driving 9 Darking

Contact us MyAT Log in or register

Auckland Transport news

Changes to free up operations at Constellation Station

Today

Auckland Transport is making some changes to North Shore bus operations to help free up bus capacity at Constellation Station.

30 red light runners caught per day as six more red light cameras go live in Auckland

Yesterday

Getting CREATIVE

At this point, you have an **infinite** amount of possibilities for what you can do. Want to mess with the background image?

Getting CREATIVE

Easy enough, it's just a JPG sitting in this folder!!!



Radio New Zealand - NZ News, Curren...Demand_files Radio New Zealand - NZ News, Curren...Demand.html

Change the image but leave its name and location alone...

🐼 Auckland Transport 🛛 🗙 Ġ com

G command mac symbol - Google × +

C 🕕 file:///Users/ethanplaut/Desktop/301-DigCommPrac/Assignments/Assg6-Vandalism/Auckland%20Transport.html

7 🔊 💿 🦛 😳 🖻 | 8 🗄

I CHANGED THIS TEXT 😂

Cycling & Walking

Driving & Parking

Projects & Roadworks

About us

Auckland Transport news

Contact us

MvAT

Log in or register

Changes to free up operations at Constellation Station

Today

Auckland Transport is making some changes to North Shore bus operations to help free up bus capacity at Constellation Station.

30 red light runners caught per day as six more red light cameras go live in Auckland

Yesterday Six more red light safety cameras are now operating in Auckland.

Putting people first remains a top priority for Auckland Transport

28 September 2018 The Annual Report has been released by Auckland Transport for 2017/2018.

Changes to free up operations at Constellation Station

Today Auckland Transport is making some changes to North Shore bus

ALL OF THE MEDIA

Want to add some animated GIFs, YouTube videos, a Twitter feed, a bunch of slides playing in a loop, or a SoundCloud jam? Let's go grab some embed code!

Auckland Transport × G command mac symbol - Googl × +

🗧 🔶 C 🗉 🕕 file:///Users/ethanplaut/Desktop/301-DigCommPrac/Assignments/Assg6-Vandalism/Auckland%20Transport.html

uskland Transport nown

Changes to free up operations at Constellation Station


Today

Auckland Transport is making some changes to North Shore bus operations to help free up bus capacity at Constellation Station.

30 red light runners caught per day as six more red light cameras go live in Auckland

Yesterday

Six more red light safety cameras a



I CHANGED THIS TEXT 😂

Cycling & Walking


Driving & Parking

So... What's Embed Code?

Just paste embed code into HTML files and voilà, there's fancy media embedded in the page! No need to worry TOO much about implementation details now, but there are usually 'attributes' that you can read and even change to useful effect if you play with them:


<iframe width="100%" height="300" scrolling="no" frameborder="no" allow="autoplay" src="https://w.soundcloud.com/player/? url=https%3A//api.soundcloud.com/trac ks/18667793&color=)%23ff5500&auto p lay=false&hide related=false&show_co mments=true&show user=true&show r eposts=false&show teaser=true&visual =true"></iframe>

On YouTube, for example: Hit the Share Button, Choose Embed, Copy the Code!!



For embedding Twitter feeds:

Go to: https://publish.twitter.com/ and follow the directions



A

also:


SoundCloud & **Google Slides:** GIPHY & Publish to the web **GIPHY Embed** Player Share Embed This document is not published to the web. Make your content visible to anyone by publishing it to Need to embed this GIF on your website embed your document. Learn more iFrame embed code below and you're de Player autoplays on all browsers and dev Embed Responsive Slide size. Auto-advance slides: OFF ON Code Medium (1280x749) ۰ every 3 seconds (default) <iframe width="100%" height="300" scrolling="no" framebor **GIF Embed Code** Start slideshow as soon as the player loads Options Restart the slideshow after the last slide <iframe src="https://giphy.com/embed/y8 300px #ff5500 Height: Color: **Publish** Enable automatic play

Many, many sites automatically generate 'embed' code for you to use!

...Then just paste that embed code in the HTML!

YouTube

(You might need to experiment, pasting the embed code in a few different places to get it to look the way you want it)



We'll go over some techniques in lecture BUT:

The technical aspects here are better learned by tinkering, copying and pasting, seeing what you can do with the combination of a text editor and some user-friendly tools to plug in new content from anywhere you would like!

As usual, the grade for this assignment has less to do with technical virtuosity and more to do with your creativity and the way you thoughtfully explain your work


In the experimental and 'vandalistic' spirit of this assignment, please consider what happens when you treat a JPG file as if it were a text file.

Start by making an extra COPY of an image (this copy of the file will be irreparably destroyed in the process).

(I'm going to use this Auckland Transport background again.)



Now manually change the file name to have 'txt' as the extension. This will fool your computer! (Sort of).



Now open the .txt file with your text editor. You'll probably get another error / warning message, just tell the computer everything is going to be fine.

Unknown Encoding


The file "hero3-compressed.txt" contains characters with unknown encoding. Please select the encoding which should be used to open the file. The contents of the file is shown below with the relevant lines highlighted. Before proceeding, check that the chosen encoding makes the preview look correct.

Encoding:	Western – ISO Latin 1	$\hat{\mathbf{C}}$
ÿØÿàJFIF``	ÿÛC	
🗸 Use docı	ument for training encoding classifier	
	Cance Ope	n

There'll be some ugly nonsense in there. Try making a tiny change somewhere down in the middle of the .txt file, like just delete a single line or something. Save it.

- 1 ÿØÿà<NUL>^PJFIF<NUL>^A^A^A<NUL>`<NUL>`<NUL>>ÿÛ<NUL>C<NUL>^D^B^C^C^C^B^D^C^C^C^D^I 2 ^F^F
- ^A<NUL><NUL><NUL><NUL><NUL><NUL><NUL>^A^B^C^D^E^F^G<BS>
- 6 ^KÿÄ<NUL>μ^Q<NUL>^B^A^B^D^D^C^D^G^E^D^D<NUL>^A^Bw<NUL>^A^B^C^Q^D^E!1^F^RAQ^Gaq^S"2♦<I
- 7 ^V\$4á%ñ^W^X^Y^Z&'()*56789:CDEFGHIJSTUVWXYZcdefghijstuvwxyz◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆¢£¤¥¦§¨©

Now REVERSE the entire name change process, going from .txt BACK to .JPG.



Sometimes the image file gets so corrupted it is no longer openable but SOMETIMES you get amazing, glitchy effects like this!!!

